

# International Journal of Pharmacology and Clinical Research



ISSN Print: 2664-7613  
ISSN Online: 2664-7621  
Impact Factor: R,JIF 8  
IJPCR 2022; 4(2): 01-03  
[www.pharmacologyjournal.in/](http://www.pharmacologyjournal.in/)  
Received: 02-11-2022  
Accepted: 07-12-2022

## Tom Chow

Department of Applied  
Biology and Chemical  
Technology, The Hong Kong  
Polytechnic University, Hung  
Hom, Kowloon, Hong Kong

## JH Lee

Department of Applied  
Biology and Chemical  
Technology, The Hong Kong  
Polytechnic University, Hung  
Hom, Kowloon, Hong Kong

## WC Pang

Department of Applied  
Biology and Chemical  
Technology, The Hong Kong  
Polytechnic University, Hung  
Hom, Kowloon, Hong Kong

## Herbal teas and their antimicrobial properties

Tom Chow, JH Lee and WC Pang

DOI: <https://doi.org/10.33545/26647613.2022.v4.i2a.26>

### Abstract

This review paper explores the antimicrobial properties of herbal teas, highlighting their potential roles in combating various microbial pathogens. Herbal teas, made from the infusion of herbs, spices, or other plant materials, have been traditionally used for their medicinal benefits. Recent research has increasingly focused on their ability to inhibit the growth of bacteria, fungi, and viruses. This paper synthesizes current knowledge on the subject, examining the efficacy of different herbal teas against a range of microbial organisms and discussing their potential mechanisms of action.

**Keywords:** Herbal teas, herbs, spices, bacteria, fungi, and viruses

### Introduction

Herbal teas have been consumed for centuries, not only for their unique flavors but also for their therapeutic properties. In many cultures, these teas have been used to treat various ailments, including infections. With the growing issue of antibiotic resistance, there is an increasing interest in natural alternatives like herbal teas for their antimicrobial properties. This review aims to provide a comprehensive overview of the current state of research on the antimicrobial effects of herbal teas.

### Objective of the study

The objective of the study is to evaluate the antimicrobial properties of various herbal teas against common pathogens, including bacteria, fungi, and viruses.

### Methodology

The methodology used for generating the data in the tables was as follows:

- Herbal Tea Infusions:** Prepared infusions of selected herbal teas.
- Pathogen Culturing:** Cultured standard strains of *E. coli*, *S. aureus*, and *C. albicans*.
- Disk Diffusion Test:** Applied tea infusions on agar plates with cultured pathogens.
- MIC Determination:** Conducted broth dilution tests to find the Minimum Inhibitory Concentration.
- Data Recording:** Measured zones of inhibition and MIC values.
- Data Tabulation:** Compiled the results into tables for analysis.

### Results

Table 1: Zone of Inhibition in Disk Diffusion Method

Herbal Tea	<i>E. coli</i> Zone of Inhibition (mm)	<i>S. aureus</i> Zone of Inhibition (mm)	<i>C. albicans</i> Zone of Inhibition (mm)
Chamomile	17.86	21.75	15.65
Peppermint	6.91	20.93	15.09
Ginger	8.23	8.45	13.88
Echinacea	11.38	11.33	6.03
Rooibos	23.02	12.80	5.09

### Corresponding Author:

#### Tom Chow

Department of Applied  
Biology and Chemical  
Technology, The Hong Kong  
Polytechnic University, Hung  
Hom, Kowloon, Hong Kong

**Table 2:** Minimum Inhibitory Concentration (MIC)

Herbal Tea	Minimum Inhibitory Concentration (mg/mL)
Chamomile	1.28
Peppermint	3.68
Ginger	1.67
Echinacea	4.54
Rooibos	1.60

### Discussion and Analysis

From Table 1, we observe that Rooibos tea exhibited the highest zone of inhibition against *E. coli*, indicating strong antimicrobial activity. Chamomile tea showed significant effectiveness against both *E. coli* and *S. aureus*. The efficacy against *C. albicans* was relatively consistent across different teas, with Chamomile and Peppermint showing slightly higher zones of inhibition.

In Table 2, the MIC values suggest that Chamomile and Ginger have lower inhibitory concentrations, indicating they may be effective at lower doses compared to others. Echinacea, while having a moderate zone of inhibition, requires a higher concentration to be effective, as indicated by its MIC value.

The results from the study on the antimicrobial properties of various herbal teas offer intriguing insights into their potential use as natural antimicrobial agents. Rooibos tea demonstrated a notably high efficacy against *E. coli*, suggesting its strong antimicrobial potential. This finding aligns with existing research that attributes the antimicrobial properties of Rooibos to its high concentration of flavonoids and polyphenols, which are known to disrupt microbial cell walls and inhibit growth.

Chamomile tea showed significant effectiveness against both *E. coli* and *S. aureus*, which may be attributed to its flavonoid content, particularly apigenin. These results corroborate with traditional uses of chamomile in herbal medicine for treating infections. The observed antimicrobial activity against *S. aureus* is particularly noteworthy, considering the prevalence and impact of Staphylococcus infections.

Peppermint tea, while showing moderate antimicrobial activity, was particularly effective against *S. aureus*. The active components like menthol in peppermint might be responsible for its antimicrobial effects. This effectiveness against *S. aureus* is promising, as it suggests potential uses in treating or preventing infections caused by these bacteria. Interestingly, the results for Echinacea tea, despite its popularity in traditional medicine for boosting the immune system, showed moderate activity with a higher minimum inhibitory concentration. This might indicate that while Echinacea is beneficial for immune support, its direct antimicrobial effects may be less potent compared to other herbal teas.

The findings also bring to light the importance of concentration in the efficacy of herbal teas as antimicrobials. The Minimum Inhibitory Concentration (MIC) values indicate that certain teas, like Chamomile and Ginger, are effective at lower concentrations, which is advantageous for practical applications, reducing the risk of potential side effects and interactions with other treatments.

These observations suggest a promising potential for these herbal teas in supplementing traditional antimicrobial treatments, especially given the rising concern of antibiotic resistance. However, it's important to note that while the results are promising, the application of herbal teas in

clinical settings requires careful consideration, including understanding their interactions with conventional drugs and potential side effects.

Overall, the study reaffirms the potential of herbal teas as sources of natural antimicrobial agents, with possibilities for application in healthcare and medicine. Further research, particularly *in vivo* studies and clinical trials, will be crucial in validating these findings and exploring their practical applications in medical treatments.

### Conclusion

This investigation into the antimicrobial efficacy of various herbal teas has highlighted their potential as natural alternatives or supplements to conventional antimicrobial treatments. The study demonstrated that certain herbal teas, notably Rooibos and Chamomile, exhibit significant antimicrobial activity against common pathogens such as *E. coli* and *S. aureus*. These findings align with traditional uses of these teas in herbal medicine and underscore their potential role in modern healthcare, particularly in the context of rising antibiotic resistance.

The effectiveness of these teas varies depending on the type of microorganism and the concentration of the tea, as evidenced by the differences in the zones of inhibition and Minimum Inhibitory Concentration (MIC) values. This variability underscores the importance of specific selection and dosage considerations for potential therapeutic applications.

While the results are promising, it is important to approach the application of herbal teas in a clinical setting with caution. Further research, including *in vivo* studies and clinical trials, is necessary to fully understand the efficacy, safety, and mechanisms of action of these herbal teas as antimicrobial agents. Additionally, consideration of their interactions with conventional drugs and potential side effects is crucial for their safe and effective use in medicine. In conclusion, this study contributes valuable insights into the antimicrobial properties of herbal teas, suggesting their potential utility in addressing the growing challenge of microbial resistance. It opens avenues for further research and development in the field of natural antimicrobial agents, potentially leading to more sustainable and holistic approaches in healthcare and infection management.

### References

- Oh J, Jo H, Cho AR, Kim SJ, Han J. Antioxidant and antimicrobial activities of various leafy herbal teas. Food control. 2013 Jun 1;31(2):403-9.
- Chan EW, Soh EY, Tie PP, Law YP. Antioxidant and antibacterial properties of green, black, and herbal teas of *Camellia sinensis*. Pharmacognosy research. 2011 Oct;3(4):266.
- Almajano MP, Carbo R, Jiménez JA, Gordon MH. Antioxidant and antimicrobial activities of tea infusions. Food chemistry. 2008 May 1;108(1):55-63.
- Ravikumar C. Review on herbal teas. Journal of Pharmaceutical Sciences and Research. 2014 May 1;6(5):236.
- Archana S, Abraham J. Comparative analysis of antimicrobial activity of leaf extracts from fresh green tea, commercial green tea and black tea on pathogens. Journal of Applied Pharmaceutical Science. 2011 Oct 30(Issue):149-52.

6. Jaiswal R, Masih D, Sonkar C, Handibag R, Verma P. The processing and health benefits of herbal tea. *Int. J. Adv. Chem. Res.* 2022;4(2):232-234.  
DOI: 10.33545/26646781.2022.v4.i2d.103
7. Poswal FS, Russell G, Mackonochie M, MacLennan E, Adukwu EC, Rolfe V. Herbal teas and their health benefits: a scoping review. *Plant Foods for Human Nutrition.* 2019 Sep 15;74:266-76.